



PATENT
Docket No.: 11835/11

CofA

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Atsushi TABATA, et al.
Serial No. : 10/621,608
Filed : 18 July 2003
Patent No. : 7,243,010 B2 Issued 10 July 2007
For : CONTROL APPARATUS FOR VARIABLE CYLINDER
ENGINE, AND CONTROL APPARATUS FOR
AUTOMOTIVE VEHICLE INCLUDING VARIABLE-
CYLINDER ENGINE

U.S. PATENT AND TRADEMARK OFFICE
Customer Service Window
Randolph Bldg.
401 Dulany Street
Alexandria, VA 22314

**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 C.F.R. §§ 1.322 & 1.323**

*Certificate
DEC 07 2007
of Correction*

SIR:

Applicants hereby request that the enclosed Certificate of Correction be issued for the above Patent under authority of 35 USC §§ 254 & 255.

The changes represent correction of typographical and grammatical errors.

Please charge Deposit Account No. 11-0600 in the amount of \$100.00 to cover the fee under 37 CFR 1.20(a). A copy of this sheet is enclosed for that purpose.

Dated: 04 December 2007

Respectfully submitted,

Shawn W. O'Dowd

Shawn W. O'Dowd
(Reg. No. 34,687)

KENYON & KENYON LLP
1500 K Street, N.W., Suite 700
Washington, D.C. 20005-1257
Tel.: (202) 220-4200
Fax.: (202) 220-4201

DEC 7 2007

12/05/2007 SZEWDIE1 00000859 110600 7243010
01 FC:1811 100.00 DR

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,243,010 B2 Page 1 of 2
DATED : 10 July 2007
INVENTOR(S) : Atsushi TABATA, et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

<u>Column</u>	<u>Line</u>	
5	8	Change "an rotary" to --a rotary--.
5	56	Change "noses" to --noises--.
6	18	Change "wile" to --while--.
9	46	After "10B" delete "each".
10	43	Change "a operating" to --an operating--.
10	60	Change "boxy" to --box--.
12	22	Change "characteristics" to --characteristic--.
12	60	Change "decompression sate" to --decompression state--.
14	2	After "vehicle" change "in" to --is--.
14	44	Change "becomes" to --become--.
18	44	Change "cylinder to an" to --cylinders to a--.
19	58	Change "cylinder to an" to --cylinders to a--.
20	14	Change "increase" to --increased--.
20	54	Change "cylinder to an" to --cylinders to a--.
22	23	Change "he control" to --the control--.
23	20	Change "wile" to --while--.
23	52	After "connected" insert --to--.
23	63	Change "these" to --the--.

REC 7 2007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,243,010 B2
DATED : 10 July 2007
INVENTOR(S) : Atsushi TABATA, et al.

Page 2 of 2

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

<u>Column</u>	<u>Line</u>	
24	48	Change "movably" to --movable--; change "rotatably" to --rotatable--.
25	12	After "both" delete "of".
25	30	Change "with the clutch" to --when the clutch--.
26	3	Change "a operating speed" to --an operating speed--.
27	7	After "side" insert --of--.
27	49	After "corresponding" insert --to--.
29	63	Delete "whether the determine".
34	24	Change "running seed" to --running speed--.
34	43	Change "an rotary" to --a rotary--.
34	56	Change "regenerative-operation-adjustnient" to --regenerative-operation-adjustment--.

MAILING ADDRESS OF SENDER:

Shawn W. O'Dowd, Esq.
KENYON & KENYON LLP
1500 K Street, N.W., Suite 700
Washington, DC 20005

Patent No.: 7,243,010 B2

7 2007